

FortiGate® 300E Series

FortiGate 300E and 301E

Next Generation Firewall Enterprise Branch Secure SD-WAN



The FortiGate 300E series delivers next generation firewall capabilities for mid-sized to large enterprises, with the flexibility to be deployed at the campus or enterprise branch. Protects against cyber threats with security processor powered high performance, security efficacy and deep visibility.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Identify thousands of applications including cloud applications for deep inspection into network traffic
- Protects against unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment such as Next Generation Firewall and Secure SD-WAN

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



 Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
32 Gbps	5 Gbps	3.5 Gbps	3 Gbps	Multiple GE RJ45 and GE SFP Slots

Refer to specification table for details


DEPLOYMENT




- Combines threat prevention security capabilities into single high performance network security appliance
- Reduces complexity by creating campus topology view and providing granular visibility of devices, users and threat information
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual content of your network traffic
- Delivers industry's highest SSL inspection performance using industry-mandated ciphers
- Proactively detect malicious unknown threats using integrated cloud-based sandbox service



- Secure direct Internet access for Cloud applications for improved latency and reduce WAN cost spending
- Effective, cost-efficient and high performance threat prevention capabilities
- WAN Path Controller and Link Health Monitoring for better application performance
- Security Processor powered industry's best IPsec VPN and SSL Inspection performance
- Centralized Management and Zero-Touch deployment



FortiGate 300E deployment in campus (NGFW)




FortiGate 300E deployment in branch office (Secure SD-WAN)

2 www.fortinet.com

HARDWARE

FortiGate 300E/301E








Interfaces

- 1. USB Port
- 2. Console Port
- 3. 2x GE RJ45 MGMT/HA Ports

- 4. 16x GE RJ45 Ports
- 5. 16x GE SFP Slots

Powered by SPU





- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:

- Enhanced IPS performance with unique capability of full signature matching at ASIC
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

FORTINET SECURITY FABRIC

Security Fabric


The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiManager FortiManager FortiSIEM FortiSIEM FortiGateVM FortiGate FortiGate FortiGate FortiManager FortiSIEM FortiGateVM FortiManager FortiGateVM FortiGateVM FortiManager FortiGateVM FortiManager FortiGateVM

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next-generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100,
 AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

4 www.fortinet.com

SPECIFICATIONS

	FORTIGATE 300E	FORTIGATE 301E	
Interfaces and Modules			
GE RJ45 Interfaces	16		
GE SFP Slots	16		
GE RJ45 Management Ports	2		
USB Ports	2		
RJ45 Console Port	1		
Local Storage	NIL	2x 240 GB SSD	
Included Transceivers	2x SFP (SX	1 GE)	
System Performance and Capacity			
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	32 / 32 / 30) Gbps	
IPv6 Firewall Throughput (1518 / 512 / 64 byte, UDP)	32 / 32 / 30) Gbps	
Firewall Latency (64 byte, UDP)	3 µs		
Firewall Throughput (Packet per Second)	30 Mpp	OS	
Concurrent Sessions (TCP)	4 Millio	n	
New Sessions/Second (TCP)	300,00	10	
Firewall Policies	10,000)	
IPsec VPN Throughput (512 byte) 1	20 Gbps		
Gateway-to-Gateway IPsec VPN Tunnels	2,000		
Client-to-Gateway IPsec VPN Tunnels	50,000		
SSL-VPN Throughput	2.5 Gbps		
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	500		
SSL Inspection Throughput (IPS, HTTP) ³	6.8 Gbp	OS .	
Application Control Throughput (HTTP 64K) ²	7 Gbps	3	
CAPWAP Throughput (1444 byte, UDP)	5 Gbps	3	
Virtual Domains (Default / Maximum)	10 / 10)	
Maximum Number of Switches Supported	48		
Maximum Number of FortiAPs (Total / Tunnel)	512 / 2	56	
Maximum Number of FortiTokens	1,000		
Maximum Number of Registered Endpoints	600	600	
High Availability Configurations	Active-Active, Active-F	assive, Clustering	
System Performance — Optimal Traffic Mix			
IPS Throughput ²	11 Gbp)S	
System Performance — Enterprise Traffic Mix			
IPS Throughput ²	5 Gbps	3	
NGFW Throughput ^{2,4}	3.5 Gbp	OS	
Threat Protection Throughput 2,5	3 Gbps	3	

	E0071047E 0007	EODTIONE CONT		
	FORTIGATE 300E	FORTIGATE 301E		
Dimensions and Power				
Height x Width x Length (inches)	1.75 x 17.0 x 15.0			
Height x Width x Length (mm)	44.45 x 432 x 380			
Weight	16.1 lbs (7.3 kg)	16.6 lbs (7.6 kg)		
Form Factor	1 RU			
Power Consumption (Average / Maximum)	90 W / 173 W	95 W / 180 W		
Power Source	100-240V 60-50Hz			
Current (Maximum)	6A			
Heat Dissipation	570 BTU/h			
Redundant Power Supplies (Hot Swappable)	optional			
Operating Environment and Certifications				
Operating Temperature	32-104°F	(0-40°C)		
Storage Temperature	-31-158°F (-35-70°C)			
Humidity	10-90% non-condensing			
Noise Level	48 dBA			
Operating Altitude	Up to 7.400 ft (2.250 m)			
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB			
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; USGv6/IPv6			

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

- NGFW performance is measured with Firewall, IPS and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control and Malware. Protection enabled.

ORDER INFORMATION

Product	SKU	Description
FortiGate 300E	FG-300E	18x GE RJ45 ports (including 1x MGMT port, 1x HA port, 16x switch ports), 16x GE SFP slots, SPU NP6 and CP9 hardware accelerated.
FortiGate 301E	FG-301E	18x GE RJ45 ports (including 1x MGMT port, 1x HA port, 16x switch ports), 16x GE SFP slots, SPU NP6 and CP9 hardware accelerated, 480 GB onboard SSD storage.
Optional Accessories		
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
Optional Power Supply	SP-FG300E-PS	AC power supply for FG-300/301E and FG-500/501E.



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	Threat Protection	UTM	Enterprise Protection
FortiSandbox Cloud (plus FortiGuard CDR* and VOP* service)			•
FortiGuard Antispam		•	•
FortiGuard Web Filtering		•	•
FortiGuard Antivirus + Botnet + Mobile AV Service	•	•	•
FortiGuard IPS Service	•	•	•
FortiCare + FortiGuard App Control Service	•	•	•

* Available when running FortiOS 6.0 and above



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2018 Fortnet, Inc. All rights reserved. Fortnet®, FortiGate®, FortiCare® and FortiGard®, and certain other marks are registered trademarks of Fortnet, Inc., in the U.S. and other jurisdictions, and other Fortnet names herein may also be registered and/or common law trademarks of Fortnet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortnet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Coursel, with a purchaser that expressly warrants that the identified portions are registered in such binding written contract, signed by Fortnets. Fortinet disclaims are variety warranty with le limited to performance metrics and, in such event, only the specific performance metrics and, in such event, only the specific performance metrics and, in such event, only the specific performance metrics and, in such binding written contract, signed by Fortnets. Fortnet series are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FG-300E-DAT-R8-201803